



TO: ALL LATE MODEL SPORTSMEN CLASS PARTICIPANTS:

THE FOLLOWING LATE MODEL SPORTSMEN CLASS RULES HAVE BEEN ESTABLISHED FOR THE 2019 RACING SEASON. THESE RULES ARE CONSISTENT WITH THE STATE LINE LATE MODEL SPORTSMEN RULES TO ALLOW DRIVERS TO COMPETE AT OTHER AREA TRACKS DURING NON-RACING WEEKENDS WITH LITTLE TO NO MODIFICATIONS TO THEIR VEHICLES. IT IS OUR ULTIMATE GOAL TO GROW THE LATE MODEL SPORTSMEN CLASS INTO A WEEKLY CLASS IN THE NEAR FUTURE AT NEW PARIS SPEEDWAY.

SINCERELY,

TRACY, ANGIE AND CHRIS

NEW PARIS SPEEDWAY



2019 LATE MODEL SPORTSMEN RULES

PLEASE REFER TO RULE BOOK DISCLAIMER, GENERAL AND TRACK RULES

SAFETY:

1. *All vehicles must have a minimum of a 4 post roll cage with at least 3 bars at the driver's door and a welded or bolted steel plate of 1/8" x 10" x 30" at the driver's door.*
2. *A full 5 point restraint system is required and may be no older than 3 years old.*
3. *Window nets must be used at all times during participation and may be no older than 3 years old.*
4. *Neck collars or HANS type devices are required for all participants.*
5. *A minimum 2 1/2" lb. fire extinguisher is required to be securely mounted within the driver's reach.*
6. *All Cars must have shut off switch next to the driver's window which can easily be reached from the outside of the car.*
7. *Raceceiver type communication devices required for all classes.*

BODY:

1. *A full template body is required for this class.*
2. *ABC Body measurements will be used for this class. These measurements can be found at the following web address: http://www.fivestarbodies.com/store/downloads/dims_ABC.pdf*
3. *No OEM Steel bodies are permitted.*
4. *All vehicles must have an unaltered template nose and tailpiece conforming to the ABC body dimensions.*
5. *Bodies must be installed straight up according to ABC measurements. **No altering of any: nose piece, tail piece, front fenders or quarter panels not conforming to ABC measurements will be permitted.***
6. *Aftermarket template fenders, quarter panels, hood and full size template roof with unaltered C pillars are required. Roofs must be centered on the vehicle from side to side with no offsetting permitted..*
7. *Downforce body panels of any kind are prohibited.*
8. *Full front Lexan windshields required. **(no partial windshields will be allowed).***
9. *Full rear windows are required and must be clear.*
10. *Front vent windows will be a maximum of 12" measured along the top of the door. Vent windows must be clear.*

2019 LATE MODEL SPORTSMEN RULES CONTINUED

BODY CONTINUED:

- 11. Template style rear spoilers must be mounted with template style mounts. Spoiler size is not to exceed 6 1/2" x 60".*
- 12. All body measurements are measured with driver in the vehicle.*
- 13. Downdraft air boxes are not permitted.*
- 14. No air pans on the underside of the nose panning of any kind. The stock sized opening of the nose piece must be completely cut out. No obstructions of this opening of any kind will be permitted on either the outside or inside during any racing activity. Maximum width of the air box will be no larger than 34". Air box must be smooth on all sides with no contours, curves or ledges. One layer of screen with minimum of 1/8" square holes must be installed.*

Chassis/Suspension:

- 1. Minimum weight of car and driver is 2800lbs. With a maximum of 60% left side weight. Aluminum head cars will have a minimum weight of 2850 lbs.*
- 2. Minimum wheel base is 101"*
- 3. If the stock firewall and floorboard have been removed, the drivers floor and foot box will be constructed of 1/8" steel minimum.*
- 4. Fuel cells are mandatory with an approved guard and have a minimum of 8" ground clearance.*
- 5. Driveshaft safety hoop is mandatory.*
- 5. No cockpit adjustments of any kind apart from break bias are allowed.*
- 6. 3 or 4 link rear suspensions are permitted.*
- 7. Screw Jacks or load bolts are optional.*
- 8. Aftermarket front center links are permitted.*
- 9. Slider mounts are permitted.*
- 10. Full size springs or 2.5" coilovers are permitted.*
- 11. Aftermarket upper A-Frames are permissible.*
- 12. Rear ends may be locked.*
- 13. No canister style shocks allowed.*
- 14. Fox spec shocks will get a 50 lb. weight break and 2% left side weight.*
- 15. **NO TRACTION CONTROL DEVICES WILL BE ALLOWED!!!***

2019 LATE MODEL SPORTSMEN RULES CONTINUED

Tires and Wheels:

1. *Hoosier D800 or NP800 tires only.*
2. *8" wide maximum diameter safety wheels only.*
3. *Maximum tread width is 80" measured with toe plates.*
4. ***NO ALTERING OF TIRES OF ANY KIND. (Soaking etc.)***

Engine and Transmission:

1. *Maximum engine setback is 4".*
2. *Engine block must remain cast iron.*
3. *Aluminum heads must add 50 lbs.*
4. *Aluminum intakes are permitted.*
5. *2 or 4 barrel carburetors are permitted. **No fuel injection.***
6. *Fuel pumps must be mechanical.*
7. *No dry sump oil systems permitted. External Pumps are permitted but NO external reservoirs.*
8. *Headers or exhaust manifolds are permitted.*
9. *Automatic, Manual and racing transmissions are permitted*

***ALL RULES INTERPRETATIONS AND RULINGS ARE AT THE DISCRETION OF
THE TECHNICAL DIRECTOR AND ARE FINAL!***